

OT GOALS

| PROBLEM | CODES | DESCRIPTION | ORDER |
|-----------------------|-------|---|-------|
| General | G01 | OT Rehab potential excellent for stated goals | S |
| General | G02 | OT Rehab potential good for stated goals | S |
| General | G03 | OT Rehab potential fair for stated goals | S |
| General | G04 | OT Discharge when goals met or patient no longer meets criteria for services | S |
| General | G05 | OT Discharge when | S |
| Skin | G01 | Patient/caregiver verbalizes understanding of methods to prevent pressure ulcers | S |
| Skin | G02 | Patient/caregiver verbalizes methods to prevent skin impairment | S |
| Medication Management | G01 | Patient verbalizes understanding of medication regimen | S |
| Medication Management | G02 | Patient/caregiver demonstrates knowledge of medication dosage, frequency, actions, side effects, and interactions | S |
| Medication Management | G03 | Patient adheres to medication/treatment regimen | S |
| Medication Management | G04 | Patient/caregiver demonstrates ability to manage anticoagulant therapy safely | S |
| Medication Management | G05 | Patient/caregiver demonstrates proper prefill of medication planner | S |
| Medication Management | G06 | Patient/caregiver demonstrates independence in management of injection(s) | S |
| Pain | G01 | Patient verbalizes a decrease in pain level from (intensity/location) | S |
| Pain | G02 | Patient verbalizes understanding of pain management techniques | S |
| Pain | G03 | Patient/caregiver demonstrate effective use of positioning techniques to control pain/pressure | S |
| Pain | G04 | Patient/caregiver demonstrates effective use of orthotic device for | S |
| Therapeutic Ex-Manual | G01 | Patient demonstrates Home Exercise Program (HEP) with | S |
| Therapeutic Ex-Manual | G02 | Patient demonstrates improved ADL/IADL/mobility by increased ROM of | S |
| Therapeutic Ex-Manual | G03 | Patient demonstrates improved ADL/IADL/mobility by increased strength of | S |
| Therapeutic Ex-Manual | G04 | Patient demonstrates increased aerobic capacity/endurance for ADL/IADL's as evidenced by | S |
| Therapeutic Ex-Manual | G05 | Patient demonstrated improved balance as evidenced by | S |
| Therapeutic Ex-Manual | G06 | Patient demonstrates improved vestibular signs/symptoms as evidenced by | S |
| Therapeutic Ex-Manual | G07 | Patient demonstrates improved fluid/edema management as evidenced by | S |
| Therapeutic Ex-Manual | G08 | Patient will exhibit decreased edema as evidenced by (measurement in cm) | S |
| Therapeutic Ex-Manual | G09 | Patient demonstrates appropriate application of compression garments/wraps | S |
| Therapeutic Ex-Manual | G10 | Patient demonstrates improved fine motor coordination as evidenced by | S |
| Therapeutic Ex-Manual | G11 | Patient demonstrates improved visual/perceptual skills as evidenced by | S |
| Therapeutic Ex-Manual | G12 | Patient/caregiver demonstrates | S |
| Function | G01 | Patient demonstrates safe bed mobility with | S |
| Function | G02 | Patient transfers safely in/out of tub/shower with | S |
| Function | G03 | Patient transfers safely on/off toilet with | S |
| Function | G04 | Patient transfers safely in/out of bed with | S |
| Function | G05 | Patient transfers safely in/out of chair with | S |
| Function | G06 | Patient transfers safely in/out of wheelchair with | S |

OT GOALS

| PROBLEM | CODES | DESCRIPTION | ORDER |
|----------|-------|--|-------|
| Function | G07 | Patient transfers safely on/off the floor with | S |
| Function | G08 | Patient transfers safely in/out of car with | S |
| Function | G09 | Patient ambulates safely with | S |
| Function | G10 | Patient ambulates steps/curb safely with | S |
| Function | G11 | Patient ambulates ramps safely with | S |
| Function | G12 | Patient ambulates uneven surfaces safely with | S |
| Function | G13 | Patient ambulates even surfaces safely with | S |
| Function | G14 | Patient demonstrates manual wheelchair mobility safely with | S |
| Function | G15 | Patient demonstrates powered wheelchair mobility safely with | S |
| Function | G16 | Patient/caregiver demonstrates safe use of assistive devices/adaptive equipment with | S |
| Function | G17 | Patient demonstrates improved sitting balance as evidenced by | S |
| Function | G18 | Patient demonstrates improved standing balance as evidenced by | S |
| Function | G19 | Patient demonstrates increased gross motor coordination to improve ADL/IADL/ mobility to | S |
| Function | G20 | Patient demonstrates adherence with restrictions and precautions (weight bearing/ROM) | S |
| Function | G21 | Patient/caregiver correctly dons/doffs orthotic/prosthetic safely with | S |
| Function | G22 | Patient demonstrates improved functional cognition as evidenced by | S |
| (I)ADL | G01 | Patient performs feeding with | S |
| (I)ADL | G02 | Patient performs simple grooming/hygiene with | S |
| (I)ADL | G03 | Patient performs oral care with | S |
| (I)ADL | G04 | Patient performs toileting hygiene with | S |
| (I)ADL | G05 | Patient performs clothing management for toileting with | S |
| (I)ADL | G06 | Patient performs upper body dressing with | S |
| (I)ADL | G07 | Patient performs lower body dressing with | S |
| (I)ADL | G08 | Patient performs sponge bathing in bed with | S |
| (I)ADL | G09 | Patient performs sponge bathing in chair with | S |
| (I)ADL | G10 | Patient performs showering with | S |
| (I)ADL | G11 | Patient performs/participates in meal preparation with | S |
| (I)ADL | G12 | Patient performs/participates in laundry with | S |
| (I)ADL | G13 | Patient performs/participates in housekeeping with | S |
| (I)ADL | G14 | Patient demonstrates safe use of adaptive equipment | S |
| (I)ADL | G15 | Patient correctly dons/doffs orthotic/prosthetic with | S |
| Safety | G01 | Patient/caregiver demonstrates safe, effective use of equipment | S |
| Safety | G02 | Patient/caregiver demonstrates knowledge of fall/safety precautions | S |
| Safety | G03 | Caregiver demonstrates proper body mechanics related to patient care | S |
| Safety | G04 | Patient/caregiver demonstrates home/fire/oxygen safety techniques | S |
| Safety | G06 | Patient maintains level of mobility and participation in ADLs within the limits of disease process | S |

OT GOALS

| PROBLEM | CODES | DESCRIPTION | ORDER |
|-----------------|-------|---|-------|
| Safety | G07 | Patient/caregiver demonstrate safe mobility and transfer techniques | S |
| Safety | G08 | Patient/caregiver verbalizes/demonstrates proper hand washing technique | S |
| Safety | G09 | Patient/caregiver verbalizes/demonstrates compensatory techniques to avoid injury related to sensory impairment | S |
| Safety | G06 | Patient maintains level of mobility and participation in ADLs within the limits of disease process | S |
| Cognition | G01 | Patient demonstrates ability to safely use/manage adaptive equipment in home environment | S |
| Cognition | G02 | Patient safely performs at highest functional capabilities | S |
| Cognition | G03 | Patient/caregiver demonstrates knowledge of Allen Cognitive Levels & recommended safety precautions | S |
| Cognition | G04 | Patient/caregiver demonstrates knowledge of cognitive impairments | S |
| Cognition | G05 | Patient/caregiver will increase ability to improved insight and safety awareness | S |
| Cognition | G06 | Patient/caregiver will increase ability to use compensatory strategies for improved cognition at level of | S |
| Cognition | G07 | Patient will increase ability to sustain attention to tasks with accuracy of | S |
| Cognition | G08 | Patient will increase ability to divide attention with accuracy of | S |
| Cognition | G09 | Patient will increase ability to focused attention with accuracy of | S |
| Cognition | G10 | Patient will increase ability to orient to person, place, time and event with accuracy of | S |
| Cognition | G11 | Patient will increase ability to solve simple problems with accuracy of | S |
| Cognition | G12 | Patient will increase ability to solve complex problems with accuracy of | S |
| Cognition | G13 | Patient will increase ability to utilize effective judgement/reasoning skills with accuracy of | S |
| Cognition | G14 | Patient will increase ability to sequence functional activities with accuracy of | S |
| Cognition | G15 | Patient will increase immediate memory skills with accuracy of | S |
| Cognition | G16 | Patient will increase short term memory skills with accuracy of | S |
| Cognition | G17 | Patient will increase working memory skills with accuracy of | S |
| Cognition | G18 | Patient will increase long term memory skills with accuracy of | S |
| Cognition | G19 | Patient will increase use of learned compensatory strategies for memory with accuracy of | S |
| Cognition | G20 | Patient will increase ability to initiate functional tasks with accuracy of | S |
| Cognition | G21 | Patient will increase ability to inhibit inappropriate/distractive behaviors with accuracy of | S |
| Cognition | G22 | Patient demonstrates improved functional cognition as evidenced by | S |
| Cardiopulmonary | G01 | Patient demonstrates improved activity tolerance for ADL/IADL completion | S |
| Cardiopulmonary | G02 | Patient incorporates breathing strategies into daily activities | S |
| Cardiopulmonary | G03 | Patient demonstrates decreased dyspnea with ADL/IADL | S |
| Cardiopulmonary | G04 | Patient/caregiver demonstrates utilization of energy conservation techniques and pacing with ADL/IADL | S |
| Cardiopulmonary | G05 | Patient demonstrates safe use of assistive and adaptive equipment with ADL/IADL | S |
| Cardiopulmonary | G06 | Patient demonstrates adequate oxygenation in ADL/IADL as evidenced by PA02 | S |
| Cardiopulmonary | G07 | Patient/caregiver demonstrates/verbalizes understanding of proper/safe use of oxygen and related equipment | S |
| Cardiopulmonary | G08 | Patient/caregiver verbalizes understanding of sternal/cardiac precautions | S |

OT GOALS

| PROBLEM | CODES | DESCRIPTION | ORDER |
|-----------------|-------|--|-------|
| Cardiopulmonary | G09 | Patient/caregiver demonstrates independence in upper extremity endurance exercise/HEP | S |
| Cardiopulmonary | G10 | Patient maintains stable cardiovascular status at baseline within parameters | S |
| Cardiopulmonary | G11 | Patient has reduced episodes of chest discomfort | S |
| Cardiopulmonary | G12 | Patient has reduced episodes of shortness of breath | S |
| Cardiopulmonary | G13 | Patient/caregiver verbalizes signs/symptoms of cardiac disease | S |
| Cardiopulmonary | G14 | Patient verbalizes methods to decrease edema | S |
| Cardiopulmonary | G15 | Patient will monitor and record weight daily and report if outside of ordered parameters | S |
| Cardiopulmonary | G16 | Patient/caregiver demonstrates understanding of proper use of cardiac medications and side effects | S |
| Cardiopulmonary | G17 | Patient is compliant with low sodium heart healthy diet | S |
| Cardiopulmonary | G18 | Patient is compliant with fluid restrictions and intake monitoring | S |
| Cardiopulmonary | G19 | Patient/caregiver demonstrates proper prefill of medication planner | S |
| Cardiopulmonary | G21 | Patient transfers safely on/off toilet with | S |
| Cardiopulmonary | G22 | Patient transfers safely in/out of bed with | S |
| Cardiopulmonary | G23 | Patient transfers safely in/out of chair with | S |
| Cardiopulmonary | G24 | Patient transfers safely in/out of wheelchair with | S |
| Cardiopulmonary | G25 | Patient transfers safely on/off the floor with | S |
| Cardiopulmonary | G26 | Patient transfers safely in/out of car with | S |
| Cardiopulmonary | G27 | Patient demonstrates safe bed mobility with | S |
| Cardiopulmonary | G28 | Patient demonstrates increased balance as evidenced by improved score of (TUG/Tinetti/BERG) | S |
| Cardiopulmonary | G29 | Patient/caregiver demonstrates safe use of assistive devices with | S |
| Cardiopulmonary | G30 | Patient correctly dons/doffs orthotic/prosthetic safely with | S |
| Cardiopulmonary | G31 | Patient correctly dons/doffs cast/splint safely with | S |
| Cardiopulmonary | G32 | Patient demonstrates independent static sitting balance with | S |
| Cardiopulmonary | G33 | Patient demonstrates independent dynamic sitting balance with | S |
| Cardiopulmonary | G34 | Patient demonstrates independent static standing balance with | S |
| Cardiopulmonary | G35 | Patient demonstrates independent dynamic standing balance with | S |
| Cardiopulmonary | G36 | Patient demonstrates improved aerobic capacity as evidenced by | S |
| Cardiopulmonary | G37 | Patient demonstrates proficiency in use of HELP system | S |
| Cardiopulmonary | G38 | Patient demonstrates safe functional household mobility using least restrictive ambulating device | S |
| Cardiopulmonary | G39 | Patient/caregiver demonstrates understanding on how to decrease exacerbation of disease process and risk of thrombus | S |
| Cardiopulmonary | G40 | Patient will demonstrate adequate surgical wound healing | S |
| Low Vision | G01 | Patient/caregiver demonstrates appropriate low vision strategies | S |
| Low Vision | G02 | Patient/caregiver demonstrates adequate competency in use of adaptive equipment | S |
| Low Vision | G03 | Patient/caregiver communicates understanding of the benefits of home modification | S |
| Low Vision | G04 | Patient/caregiver communicates knowledge of available community resources and how to access | S |

OT GOALS

| PROBLEM | CODES | DESCRIPTION | ORDER |
|------------|-------|--|-------|
| Low Vision | G05 | Patient/caregiver communicates knowledge of resources and educational materials provided | S |
| Low Vision | G06 | Patient/caregiver demonstrates the use of Preferred Retinal Location (PRL) | S |
| Low Vision | G07 | Patient demonstrates understanding of Home Exercise Program to include Pre-Reading and writing exercises | S |
| Low Vision | G08 | Patient/caregiver verbalizes understanding the importance of using optical devices as prescribed | S |
| Low Vision | G09 | Patient/caregiver verbalizes understanding of maintenance/proper care of optical devices | S |
| Low Vision | G10 | Patient demonstrates safety in performing ADL's and IADL's to include functional Mobility | S |
| Neuro | G01 | Patient/caregiver applies compensatory strategies for perceptual deficits in ADL/IADLs | S |
| Neuro | G03 | Patient/caregiver show good return demonstration of HP for perceptual retraining/remediation in ADL/IADL | S |
| Neuro | G04 | Patient/caregiver communicates/demonstrates understanding positioning to normalize tone | S |
| Neuro | G05 | Patient/caregiver demonstrates competence in HEP | S |
| Neuro | G06 | Patient/caregiver communicates/demonstrates understanding of positioning for prevention of contractures | S |
| Neuro | G07 | Patient/caregiver communicates understanding and demonstrates application of methods to reduce falls during ADLs/IADLs | S |
| Neuro | G08 | Patient/caregiver demonstrates competent use of adaptive equipment during ADLs/IADLs | S |
| Neuro | G09 | Patient will demonstrate reduction in abnormal muscle tone as evidenced by | S |
| Neuro | G10 | Patient will demonstrate improvement in normal movement patterns as evidenced by | S |
| Neuro | G11 | Patient/caregiver will demonstrate understanding of strategies to compensate for sensory loss | S |
| Neuro | G12 | Patient/caregiver will demonstrate understanding of strategies to compensate for tremors | S |